Preface for a Comprehensive Energy System Plan.

Conservation of Energy.

Society's first obigation is to not squander resources, especially the "free" resources provided by nature; and to produce resources that sustain its continued existence. Conservation of existing resources is the place to start. Water conservation, tree preservation, existing stream and drainage system respect and other resource protection and presevation ethics and actions are important. Buckminster Fuller opined that Nature or The Creator gave us a resource base sufficient to hold us over until we could figure out how to be self sustaining. Seems the time for self sufficiency is fast approaching.

Energy conservation is a great way to reduce the demands to create energy, or transform one source of energy into another [see sidebar]. The primary conservation activities

The law of conservation of energy

states that energy can neither be created nor destroyed - only converted from one form of energy to another. This means that a system always has the same amount of energy, unless it's added from the outside. This is particularly confusing in the case of non-conservative forces, where energy is converted from mechanical energy into thermal energy, but the overall energy does remain the same. The only way to use energy is to transform energy from one form to another.

LINK:

https://energyeducation.ca/encyclope dia/Law of conservation of energy

to reduce energy consumption are the ones that use energy directly, i.e., vehicles and homes. Secondary conservation activities are those that reduce wastes that demand an energy-intensive response, i.e., the generation of greenhouse gases. There must be tertiary activites, but concentration on the most visible ones seems prudent. The many ongoing and creative ideating and experimentation confound cataloguing. A few are mentioned below.

A Vision of the Global Energy System.

A vision of a system of the sources and users of energy helps organize the progress of each individual component of the system and it describes one way in which each component might fit into a unified, cohesive system. The basic idea, described in more detail below, seems to be:

The entire system will be based on electricity; the challenge is how to best produce and distribute electricity for the five user groups.

The Primary System: To build an electricity production system based on renewable sources - wind, solar and geothermal.

The Support System: To have a secure Support System for the Primary Systems when the sun does not shine and the wind does not blow; the Support System can be nuclear.

The Legacy System: Oil, gas and coal will remain essential sources of electricity production until secure Primary and Secondary Systems are established.

The Transition Plan is critical. The Legacy Systems cannot be abandoned until their replacements are functioning. Development of the Primary and Secondary Systems are, or should be, the priority to enable a timely transition.

Energy User Groups.

The generators of greenhouse gases can be found in five user groups [EIA]. The chart shows the four major categories of energy consumption.

<u>Transportation</u> (27% of greenhouse gas emissions; 28% of energy consumption) – The transportation sector generates the largest share of greenhouse gas emissions. Greenhouse gas emissions from transportation primarily come from burning fossil fuel for our cars, trucks, ships, trains, and planes. Over 90% of the fuel used for transportation is petroleum based, which includes primarily gasoline and diesel.²

<u>Electricity production</u> (25% of greenhouse gas emissions) – Electricity production generates the second largest share of greenhouse gas emissions. Approximately 60% of our electricity comes from burning fossil fuels, mostly coal and natural gas.³

<u>Industry</u> (24% of greenhouse gas emissions; 33% of energy consumption) – Greenhouse gas emissions from industry primarily come from burning fossil fuels for energy, as well as greenhouse gas emissions

from certain chemical reactions necessary to produce goods from raw materials.

Commercial and Residential (13% of greenhouse gas emissions; 39% of energy consumption) – Greenhouse gas emissions from businesses and homes arise primarily from fossil fuels burned for heat, the use of certain products that contain greenhouse gases, and the handling of waste.

Agriculture (11% of greenhouse gas emissions) – Greenhouse gas emissions from agriculture come from livestock

Share of total U.S. energy consumption by end-use sectors, 2021

Total = 97.33 quadrillion British thermal units

commercial 18% industrial 33%

residential 21%

Data source: U.S. Energy Information Administration, Monthly Energy Review, Table 2.1, April 2022, preliminary data Note: Sum of individual percentages may not equal 100 because of independent rounding.

such as cows, agricultural soils, and rice production.

Land Use and Forestry (13% of greenhouse gas emissions) forms a unique sixth group – Land areas can act as a sink (absorbing CO_2 from the atmosphere) or a source of greenhouse gas emissions. In the United States, since 1990, managed forests and other lands are a net sink, i.e., they have absorbed more CO_2 from the atmosphere than they emit.

The Case for Saving Existing Buildings

As Einstein has demonstrated, energy is stored in mass. Energy, therefore, is stored in the mass of built structures; in the wood, concrete, steel, plastic and other materials. Saving existing buildings has a twofold energy savings: the first is saving the energy embodied in the structure itself. The second is the energy saving from not having to reproduce the structure with its materials plus the energy required for the equipment, materials, financing and disposal of waste. Buildings that cannot be saved and redeveloped can be recycled through salvage of materials in the demolished building. Existing buildings are energy; treat them accordingly.

Sources of Energy.

The five predominant users of energy listed above share sources of energy, but each user group also has traits that lend themselves to rely on some specific sources more than others. The trick, or the goal, is to match the features of each energy user group with each source of energy to ensure the most efficient system for connecting energy users and energy generators.

The mixing and matching of users and generators is complicated, but the results will be worth the clarification efforts. Add in the continuous stream of new methods and processes for generating energy and the picture adds a few more dimensions.

The sources for energy generation for electricity production, listed in the sidebar, include all known sources, except hydrogen. Hydrogen has been targeted as a source of energy for transportation as a complement to electricity for EVs.

Electric Generation Energy Sources 2020

- Natural Gas: about 40% of U.S. electricity generation in 2020.
- **Nuclear:** about 20% of U.S. electricity generation in 2020.
- Coal: the third-largest energy source for U.S. electricity generation in 2020 about 19%.
- **Petroleum:** less than 1% of U.S. electricity generation in 2020.
- Renewables: the source of about 20% of total U.S. electricity generation in 2020.

wind: 8.4%
 hydroelectric: 7.3%
 solar: 2.3%
 biomass: 1.4%
 qeothermal: 0.5%

Source: EIA.gov Where is hydrogen?

The Primary System of Electricity Production.

The Primary System of Electricity Production must be based on renewable sources - wind, solar and geothermal with hydroelectric, nuclear and biomass playing their part. Wind and solar sources are the main sources to rely on in the future for the bulk of the Primary System to produce electricity. Advances in technology, reduction of costs and the installation of facilities bode well for the future. How quickly we get there is the challenge.

SOLAR [2.3% of national electricity production].

- **Power companies** are investing in solar farms.
- Community solar refers to moderately large solar projects usually up to 5 megawatts that
 a number of customers, which can include individuals, organizations and companies, subscribe
 to or jointly own. Instead of putting panels on their own roof or property, a community solar
 participant taps into the value of a solar system located elsewhere, like on a community center
 or in a field. The projects, also called community solar gardens or farms, generate energy that's
 fed into the grid.
- Individual solar installations such as solar roofs for parking fields makes great sense for energy production using unused air space complemented by the weather protection benefits. Individual homes with solar panels are using the generated electricity directly and some are contributing their electricity back to the grid, sometimes for rebates.

• **Solar panel scale, cost and production** are ensnared in global trade, supply chain and material availability issues; all resolvable when the will strikes those in control.

WIND [8.4% of national electricity production].

- Wind power is created in low population areas that are not the major consumers of the electricity.
 Wind turbines are located on land and water.
 Connecting wind turbines in the Midwest and offshore to the national electric grid is the work to be done
- The environmental impacts still demand resolution. HYDROELECTRIC POWER [7.3% of national electricity production].
 - A little discussed source of electricity production, but famous for its association with TVA and the major dams in the United States.
 - One suspects that the technology for squeezing more and more production from existing sources will transpire incrementally, but that the places where hydroelectric power can be generated are fixed and therefore not a great source of extraordinary growth as a contributor to the electricity production system.

BIOMASS [1.4%] and **GEOTHERMAL** [0.5%] are not well understood by the author. To the extent they can grow as contributors to the global electricity production system, the better.

How many homes can an average wind turbine power?

According to the U.S. Energy Information Administration, the average U.S. home uses 893 kilowatt-hours (kWh) of electricity per month. Per the U.S. Wind Turbine Database, the mean capacity of wind turbines that achieved commercial operations in 2020 is 2.75 megawatts (MW). At a 42% capacity factor (i.e., the average among recently built wind turbines in the United States, per the 2021 edition of the U.S. Department of Energy's Land-Based Wind Market Report), that average turbine would generate over 843,000 kWh per month enough for more than 940 average U.S. homes. To put it another way, the average wind turbine that came online in 2020 generates enough electricity in just 46 minutes to power an average U.S. home for one month.

LINK: https://www.usgs.gov/faqs/how-many-homes-can-average-wind-turbine-power

HYDROGEN, the redheaded stepchild of the energy portfolio is making a statement. Hydrogen is proving a great, near-term alternative source of power for transportation vehicles, especially over-the-road trucks. Truck stops are adding hydrogen to their re-fueling offerings as are municipalities for their fleets. Hydrogen may become a great alternative to the alternative electric vehicles.

The Support System of Electricity Production.

The Primary Systems need support. Solar and wind power needs a reliable complementary source of energy to fill the voids created when the sun does not shine and the wind does not blow. Nuclear fits the bill. Nuclear power provided about 20% of US energy in 2020.

Nuclear power comes with baggage. Nuclear disasters and the disposal of nuclear waste are both significant issues. The challenge is to address these issues rather than discarding the nuclear option. The argument in favor of continuing to perfect nuclear power as the support system for wind and solar is:

- Technology is evolving; smaller, modular reactors are in-line to replace the aging first generation power plants; witness Germany's decommissioning of its nuclear plant portfolio that has reached its design life.
- SMRs, small modular (nuclear) reactors, have many enhancements.
 - They are smaller which means they are less expensive. They can be permitted and constructed faster than first generation plants. They are "support system" generators with wind and solar bearing the brunt of the demand function. Therefore they are used less than the first generation systems that were primary. As a result, they also generate less waste.
 - SMRs are modular. This means they can be constructed in a factory with better quality control. This also means the same modulars will be replicated in many plants, reducing costs, standardizing regulatory processing and increasing reliability.
- Re-use of spent rods is being accomplished in France and other advanced nations. The
 application of these techniques worldwide is just a matter of time and getting over the "not
 invented here" syndrome.








EXCERPT FROM...

Reconsidering The Risks Of Nuclear Power

OCTOBER 25, 2016

by Jordan Wilkerson, figures by Shannon McArdel

"The figure is based on estimates from Europe Union, which account for immediate deaths from accidents and projected deaths from exposure to pollutants."



LINK: https://sitn.hms.harvard.edu/flash/2016/reconsidering-risks-nuclear-power/

Conclusions.

- 1. The energy system will be based on the production and distribution of electricity.
- 2. The Primary System for electricity production in the near future must be wind and solar.
- 3. The Secondary System for calm and dark times needs to be nuclear.
- 4. The National Electric Grid needs to be enhanced, connected and secured.

5. What can a small community do? The City of Iowa City, Iowa has taken climate change seriously. The City's "Climate Action Plan" has devised a simple yet effective system for evaluating actions to improve conditions; the system provides a balance of effectiveness and cost. As the chart below from *Planning Magazine*, April 2019 indicates, some low cost actions have high climate improvement impacts. Some high cost options are not that effective.

